12 - 18 October 1986

7 ml	
requires subm November 1986	Executive Director has issued FY-87 guidance which ission of Office quarterly obligation plans in late for incorporation into the Directorate plan. OC-PBS ng appropriate Division tasking with OC-CS.
OC-CS	
1. OC-Compossession of Management St	S' annual inventory of Government property in the contractors has been submitted to the OL Procurement aff. Government-furnished property totaling as reported.
1. OC-Compossession of Management St	contractors has been submitted to the OL Procurement aff. Government-furnished property totaling
1. OC-Compossession of Management St	contractors has been submitted to the OL Procurement aff. Government-furnished property totaling
1. OC-Compossession of Management St	contractors has been submitted to the OL Procurement aff. Government-furnished property totaling
1. OC-Compossession of Management St	contractors has been submitted to the OL Procurement aff. Government-furnished property totaling
1. OC-Compossession of Management St	contractors has been submitted to the OL Procurement aff. Government-furnished property totaling
1. OC-Compossession of Management St	contractors has been submitted to the OL Procurement aff. Government-furnished property totaling

OC-AMD

25X1

25X1

25X1

25X1

1. OC personnel departed on the first recruitment trip for FY-87 to Houston, Texas. Accompanying the OC team was a recruiter from OIT and a representative from OMS who will function as a medical/security expeditor. The first two cities on this trip have proven that the FY-87 recruitment schedule, which is based on a track record of past successful areas, should be very productive. A total of 251 persons attended presentations in Houston and Fort Worth. Of this number, 207 were tested with 105 PHS packages handed out.

25 X 1			

- 3. Due to budgetary restraints, the external training allotment has been reduced considerably. All future requests for external training will be evaluated by Chief, Developmental Training Branch and DC/OC-AMD.
- 4. The Safety Officer participated in three fire drills at during the reporting period in which a new concept was introduced. In each drill, one exit was blocked and the blocked area was filled with a non-toxic smoke. All of the drills were completed in a very safe and orderly fashion and the buildings were evacuated in near record time.
- asbestos removal project started on 14 October in the west side of the basement. Air monitoring samples are being collected at three different locations on a daily basis. The samples have been forwarded to a northern Virginia health lab for analysis and the results will be furnished to the Safety Officer during the week of 20 October.
- oso, spent 14-15 October observing procedures used by the Communications School Group's Instructional Support Department during a course analysis. plans to implement identical procedures within oso to enhance the quality of their training.

2

1	On 14-15 October representations Community
staff	. On 14-15 October, representatives from intervious officers from OC and OIT in completing the first part
ເວນ-sp∈	onsored investigation of the Agency voice and data ne
with re	espect to the application of automated key distribution
manager	ment. is making arrangements for presentatives to visit again in November to continue
effort	·
OC - ED	
OC-ED	
1.	attended an eight-day class on
	isk Drive (SPARS) at Century Data Systems. During the
class,	he was able to obtain Field Change Notices (FCN) that
attect	both the T306 AMS-315 Disk Drives. These FCNs are
present	both the T306 AMS-315 Disk Drives. These FCNs are tly being sent to the SPARS sites so that the station
present	both the T306 AMS-315 Disk Drives. These FCNs are tly being sent to the SPARS sites so that the station cians can determine if their drives require modificati
present technic	both the T306 AMS-315 Disk Drives. These FCNs are tly being sent to the SPARS sites so that the station cians can determine if their drives require modificati (SPARS contractor) is attempting to f
present technic	both the T306 AMS-315 Disk Drives. These FCNs are tly being sent to the SPARS sites so that the station cians can determine if their drives require modificati
present technic	both the T306 AMS-315 Disk Drives. These FCNs are tly being sent to the SPARS sites so that the station cians can determine if their drives require modificati (SPARS contractor) is attempting to f
out why	both the T306 AMS-315 Disk Drives. These FCNs are tly being sent to the SPARS sites so that the station cians can determine if their drives require modificati (SPARS contractor) is attempting to for they haven't been receiving these FCNs
out why 2. Termina	both the T306 AMS-315 Disk Drives. These FCNs are tly being sent to the SPARS sites so that the station cians can determine if their drives require modificati (SPARS contractor) is attempting to for they haven't been receiving these FCNs reported on board with the Message at Branch. He has been assigned the Grid terminal and
out why	both the T306 AMS-315 Disk Drives. These FCNs are tly being sent to the SPARS sites so that the station cians can determine if their drives require modificati (SPARS contractor) is attempting to for they haven't been receiving these FCNs reported on board with the Message at Branch. He has been assigned the Grid terminal and
out wny 2. Terminabecome	both the T306 AMS-315 Disk Drives. These FCNs are tly being sent to the SPARS sites so that the station cians can determine if their drives require modificating (SPARS contractor) is attempting to footness they haven't been receiving these FCNs reported on board with the Message of Branch. He has been assigned the Grid terminal and ED's focal point for Grid related matters.
out why 2. Termina	both the T306 AMS-315 Disk Drives. These FCNs are tly being sent to the SPARS sites so that the station cians can determine if their drives require modificati (SPARS contractor) is attempting to for they haven't been receiving these FCNs reported on board with the Message al Branch. He has been assigned the Grid terminal and ED's focal point for Grid related matters. departed for an extended TDY to
out wny 2. Termina become	both the T306 AMS-315 Disk Drives. These FCNs are tly being sent to the SPARS sites so that the station cians can determine if their drives require modificati (SPARS contractor) is attempting to for they haven't been receiving these FCNs reported on board with the Message at Branch. He has been assigned the Grid terminal and ED's focal point for Grid related matters. departed for an extended TDY to to assist in the Acceptance Test
out why Termina become	both the T306 AMS-315 Disk Drives. These FCNs are tly being sent to the SPARS sites so that the station cians can determine if their drives require modificati (SPARS contractor) is attempting to for they haven't been receiving these FCNs reported on board with the Message al Branch. He has been assigned the Grid terminal and ED's focal point for Grid related matters. departed for an extended TDY to
out why 2. Terminabecome 3.	reported on board with the Message al Branch. He has been assigned the Grid terminal and ED's focal point for Grid related matters. departed for an extended TDY to to assist in the Acceptance Testad on-the-job training for the Enhanced Terminal. TSP-4000 Portable Secure Communications Terminal (P
out why Control Terminate become 3. Plan and 4. product	both the T306 AMS-315 Disk Drives. These FCNs are tly being sent to the SPARS sites so that the station cians can determine if their drives require modificating (SPARS contractor) is attempting to five they haven't been receiving these FCNs reported on board with the Message all Branch. He has been assigned the Grid terminal and ED's focal point for Grid related matters. departed for an extended TDY to to assist in the Acceptance Test on-the-job training for the Enhanced Terminal. TSP-4000 Portable Secure Communications Terminal (Page 1975) and the Secure Co
out why Control Terminate become 3. Plan and 4. product	reported on board with the Message al Branch. He has been assigned the Grid terminal and ED's focal point for Grid related matters. departed for an extended TDY to to assist in the Acceptance Testad on-the-job training for the Enhanced Terminal.
out why 2. Termina become 3. Plan an 4. product bringin	reported on board with the Message of Branch. He has been assigned the Grid terminal and ED's focal point for Grid related matters. departed for an extended TDY to to assist in the Acceptance Testad on-the-job training for the Enhanced Terminal. TSP-4000 Portable Secure Communications Terminal (Period units successfully passed TEMPEST testing this we age to a close approximately eight months of testing.
out why 2. Terminabecome 3. Plan an 4. product	both the T306 AMS-315 Disk Drives. These FCNs are tly being sent to the SPARS sites so that the station cians can determine if their drives require modificating (SPARS contractor) is attempting to footness they haven't been receiving these FCNs reported on board with the Message at Branch. He has been assigned the Grid terminal and ED's focal point for Grid related matters. departed for an extended TDY to to assist in the Acceptance Test on the Enhanced Terminal. TSP-4000 Portable Secure Communications Terminal (Pation units successfully passed TEMPEST testing this we get to a close approximately eight months of testing. On 17 October,

3

OC-ED	(Cont.)
~	(~ ~ ~ ~ ~ ~ ~ ~ ~	J

The group discussed some of the technical problems recorded to date and recommended a "Case Study Project Plan" to further identify specific problems and initiate corrective action. A full report on the meeting is in preparation.

25X1

7. During the week of 13 October, it was demonstrated that the Time Division Multiple Access (TDMA) equipment can be operated in a non-standard mode to support 64 kbps simplex requirements without use of excessive satellite power. This capability can be used with SC-5 terminal pending completion of simplex TDMA software enhancements Inc.

OC-FND

25**X**1

25X1

4

